

The WORLD'S MOST COLLABORATIVE



The first-ever Web-ready printing system with MFP benefits, the HP Designjet T2300 eMFP makes it easier than ever to perform effectively. Print drawings wherever the job takes you-in the office, with the client, at the site. Collaborate with partners and contractors with simplified sharing thanks to HP ePrint & Share. And focus more on your clients and drawings and less on printing with a device that is incredibly intuitive, simple to maintain, and easily upgradeable in the future.

ACCESS AND PRINT ON THE GO—SCAN CONTENT TO THE WEB

Work with a printer that enables, rather than constrains, you. This printer does away with cables and drivers so you have greater freedom to print wherever and whenever it's most convenient—in the office, on the road, or at the client site.

- Instantly scan and upload content to the Web.(1
- Print and share files over the Web—or directly from the touchscreen(1—with HP ePrint & Share.
- Print directly from your USB thumb drive, no PC required.
- Print to any HP Designjet printer without installing multiple drivers with HP ePrint & Share.

INSTANTLY SHARE AND MANAGE CONTENT WITH YOUR TEAMS

This printing system is designed to inspire and aid collaboration in and out of your office. Easily print, scan, and share drawings with your partners and clients. An integrated large-format scanner lets you capture and share ideas in real time.

- Scan sketches and hand-annotated drawings.
- Scan drawings to create print-ready files. Share them via an email link to your HP ePrint & Share.⁽¹⁾
- · Work on multiple projects at the same time with two rolls and smart switching.
- Keep the collaborative flow—with HP media and supplies, the print is right the first time, every time.

SO EASY AND INTUITIVE, YOU'LL LOVE USING IT

The HP Designjet T2300 eMFP is so easy and intuitive that printing and scanning is virtually effortless. Its color touchscreen makes interacting with your printer a breeze. And direct printing eliminates print driver and network hassles.

- One-click print, scan, and copy.
- Create a print-ready .PDF at the same time you print with HP ePrint & Share.
- Preview your pages with an intuitive color touchscreen.
- Web-ready and easy to update.

ECOHIGHLIGHTS

HP DESIGNJET T2300 eMFP

- Save paper with automatic print settings and image nesting
- Less ink wasted due to efficient installation and maintenance
- Free, convenient HP ink cartridge and printhead recycling(1
- ullet Works with FSCTM and PEFC certified HP papers $^{(2)}$
- ENERGY STAR® qualified

⁽¹Program availability varies. Please check **www.hp.com/recycle** for details. ⁽²Select HP media are certified. See **www.hp.com/go/HPmediaresources**.

www.hp.com/ecosolutions

Please recycle large-format printing hardware and printing supplies. HP recycling services make it easy to dispose of products at end-of-use.



















PRINTING SOLUTION



Sidewalk Technical Drawings

Sketch to SHARE

- Scan or copy hand annotations and sketches
- Take advantage of simple, one-click scanning options
- Share sketches by scanning directly to the cloud, an email address, or a USB drive

IMPROVING WORKFLOWS

with HP ePRINT & SHARE

Publishing documents today is time-consuming, and unreliable. With HP ePrint & Share, you can preview, create a pdf at the same time, print, access and share files—easily, cost-effectively, and reliably.

Print from the ROAD

same time you print

 Create .PDFs, which are automatically uploaded to your personal Web library, at the

• Share print-ready files instantly with project

- Print from the cloud to any available Web-connected HP Designjet printer
- Print without installing multiple drivers
- Print from a USB drive directly from your printer
- Easily re-print project documents or

See true-to-life print previews

- Get true-to-life print previews so you can see **exactly** what your printed page will look like.
- Your pages will look right the first time you print—saving you time and paper.

Create and upload a print-ready .PDF—in just one click

- Automatically create a print-ready .PDF—and upload it to your personal Web library—the instant you hit print.
- You can then print and share your file from any Web-connected device.

Share and manage print-ready files

- Share files by sending an email with a secure link to your personal Web library—no FTP or email attachments required.
- You can also use your personal Web library to manage all your print-ready content.

HP DESIGNJET T2300 eMFP

TECHNICAL SPECIFICATIONS

PRINT	80 A1 prints per hour
Line drawings Colour images	80 A1 prints per hour 41 m²/hr on coated media
Colour images Print resolution	3.1 m²/hr on glossy media Up to 2400 x 1200 optimised dpi from 1200 x 1200 input dpi and Optimisation For
Margins	Photo Paper selected Roll: 5 mm (top), 5 mm (right), 5 mm (left), 5 mm (bottom); borderless on photo
(top x bottom x left x right)	Sheet: 5 mm (top), 5 mm (right), 5 mm (left), 17 mm (bottom)
Technology	HP Thermal Inkjet
Ink types	Dye-based (C, M, Y, G, pK); pigment-based (mK)
Ink colours	6 (cyan, grey, magenta, matte black, photo black, yellow)
Ink drop	6 pl (C, M, pK, G), 9 pl (Y, mK)
Line accuracy	+/- 0.1%
Minimum line width Guaranteed minimum	0.02 mm (HP-GL/2 addressable)
line width	0.06 mm (ISO/IEC 13660:2001(E))
Maximum print length	91 m (application dependent)
Scan speed	Up to 3.81 cm/sec (colour, 200 dpi); up to 11.43 cm/sec (greyscale, 200 dpi)
Copy resolution	Up to 600 dpi
Maximum scan width	91.4 x 237.8 cm
Maximum scan thickness	0.8 mm
Reduction/enlargement	25 to 400%
Maximum copies	Up to 99 copies
Copier settings	Copy quality; copy colour; roll; content type; original paper type; background
	removal; contrast; de-skew
MEDIA	Printers shoot food two automatic rell foods and analysis and automatic rell and a second sec
Handling	Printer: sheet feed, two automatic roll feeds, automatic roll-switching, automatic cutter scanner: straight-through scan paper path for sheet and cardboard originals
Types	Printer: bond and coated paper, technical paper, film, photographic paper, backlit, self-adhesive; scanner: non-abrasive paper, vellum, translucent, Mylar, recycled, blueprints, cardboard (No plywood, stone plates, metal plates or abrasive, dirty,
	rough, sharp edged, metal clamped, or burned surfaces or transparencies)
Weight	60 to 328 g/m²
Size	210 x 279 to 1118 x 1676 mm
Thickness	Up to 0.8 mm
MEMORY	
Standard	32 GB (virtual)
Hard disk	Standard, 160 GB
CONNECTIVITY	
Interfaces (standard)	Gigabit Ethernet (1000Base-T); EIO Jetdirect accessory slot; Hi-Speed USB 2.0
Interfaces (optional)	Compatible HP Jetdirect LAN cards
Print languages (standard)	T2300 eMultifunction: TIFF, JPEG, HP.GL/2, HP.RTL, CALS G4, HP PCL 3 GUI; T2300 PostScript eMultifunction: Adobe® PostScript® 3, Adobe® PDF 1.7, TIFF, JPEG, HP.GL/2, HP.RTL, CALS G4, HP PCL 3 GUI;
Print languages (optional)	Adobe® PostScript® 3; Adobe® PDF 1.7
Drivers included	T2300 eMultifunction: HP-GL/2, HP-RTL drivers for Windows® (optimised for AutoCAL 2000 and higher); HP PCL 3 GUI driver for Mac OS X; PostScript® Windows®, Linux, and Mac drivers with optional PostScript® Upgrade Kit; T2300 PostScript eMultifunction: HP-GL/2, HP-RTL drivers for Windows® (optimised fo AutoCAD 2000 and higher); PostScript® Windows®, Linux, and Mac drivers;
RECOMMENDED SYSTEM	
Mac	Mac OS X v10.4, v10.5: PowerPC G4, G5, or Intel® Core processor, 1 GB RAM, 2 GB available hard disk space; Mac OS X v10.6: Mac computer with Intel® Core processor, 2 GB RAM, 4 GB available hard disk space
Windows	Windows® 7: 32-bit (x86) or 64-bit (x64) processor (1 GHz), 2 GB RAM (32-bit) or 4 GB RAM (64-bit), 4 GB available hard disk space; Windows Vista® Ultimate/ Business/Home Premium: 32-bit (x86) or 64-bit (x64) processor (1 GHz), 2 GB RAM 4 GB available hard disk space; Microsoft® Windows® XP Professional/Home (SP2 or higher): Intel Pentium family or AMD K6®/Athlon®/Duron® family (1 GHz), 1 GB RAM, 2 GB available hard disk space)
DIMENSIONS (w x d x h)	
Printer	1771 x 1010 x 1124 mm
Shipping	1930 x 766 x 827 mm
WEIGHT	100
Printer	103 kg
Shipping	135 kg
WHAT'S IN THE BOX	HP Designjet T2300 eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software;
WHAT'S IN THE BOX CN727A CN728A	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup
WHAT'S IN THE BOX CN727A CN728A	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet 12300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage humidity	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet 12300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage temperature ACOUSTIC	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage humidity ACOUSTIC Sound Pressure	printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designier 17300 PostScript eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C 25 to 55° C 0 to 95% RH 43 dB(A)
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage lemperature Storage humidity ACOUSTIC Sound Pressure Sound Power	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage humidity ACOUSTIC Sound Pressure Sound Power POWER CONSUMPTION	printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage humidity ACOUSTIC Sound Pressure Sound Power POWER CONSUMPTION Maximum	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet 12300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C 25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital Front End (sleep); < 0.1 watts (manual-off)
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage temperature Storage humidity ACOUSTIC Sound Pressure Sound Power POWER CONSUMPTION Maximum Power requirements	printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript eMultifunction Printer; printheads; introductory ink cartridges; printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage humidity ACOUSTIC Sound Pressure Sound Power POWER CONSUMPTION Maximum Power requirements CERTIFICATION	printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital Front End (sleep); < 0.1 watts (manual-off) Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage temperature Storage temperature Sound Pressure Sound Pressure Sound Power POWER CONSUMPTION Maximum Power requirements CERTIFICATION Safety	printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital Front End (sleep); < 0.1 watts (manual-oft) Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) EU (IVD and EN 60950-1 compliant); Russia (GOST)
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage temperature Storage temperature Sound Pressure Sound Power POWER CONSUMPTION Maximum Power requirements CERTIFICATION Safety Electromagnetic	printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital Front End (sleep); < 0.1 watts (manual-off) Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) EU (LVD and EN 60950-1 compliant); Russia (GOST) Compliance for Class B ITE products: EU (EMC Directive)
WHAT'S IN THE BOX CN727A CN728A ENVIRONMENTAL RANG Operating temperature Storage temperature Storage temperature Storage humidity ACOUSTIC Sound Pressure Sound Power POWER CONSUMPTION Maximum Power requirements CERTIFICATION Safety	printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord HP Designjet T2300 PostScript etMultifunction Printer; printheads; introductory ink cartridges; printer stand; spinalle; quick reference guide; setup poster; startup software; Scan2CAD software; USB cable; power cord ES 5 to 40° C -25 to 55° C 0 to 95% RH 43 dB(A) 6.1 B(A) < 120 watts (active); < 41 watts (standby); < 11 watts / < 28 watts with emdebbed Digital Front End (sleep); < 0.1 watts (manual-oft) Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) EU (IVD and EN 60950-1 compliant); Russia (GOST)

ORDERING INFORMATION

PRODUCT	
CN727A	HP Designjet T2300 eMultifunction Printer
CN728A	HP Designjet T2300 PostScript eMultifunction Printer
ACCESSORIES	
Q6709A	HP Designjet 1118mm Roll Feed Spindle
CN501A	HP Designjet External Hard Disk
J7961G	HP Jetdirect 635n IPv6/IPsec Print Server
CN454A	SCP reprocontrol for HP (1 printer)
CN455A	SCP reprocontrol for HP (2 printers)
INK SUPPLIES	
C9380A	HP 72 Gray and Photo Black Printhead
C9383A	HP 72 Magenta and Cyan Printhead
C9384A	HP 72 Matte Black and Yellow Printhead
C9397A	HP 72 69-ml Photo Black Ink Cartridge
C9398A	HP 72 69-ml Cyan Ink Cartridge
C9399A	HP 72 69-ml Magenta Ink Cartridge
C9400A	HP 72 69-ml Yellow Ink Cartridge
C9401A	HP 72 69-ml Gray Ink Cartridge
C9403A	HP 72 130-ml Matte Black Ink Cartridge
C9370A	HP 72 130-ml Photo Black Ink Cartridge
C9371A	HP 72 130-ml Cyan Ink Cartridge
C9372A	HP 72 130-ml Magenta Ink Cartridge
C9373A	HP 72 130-ml Yellow Ink Cartridge
C9374A	HP 72 130-ml Gray Ink Cartridge
CH575A	HP 726 300-ml Matte Black Designjet Ink Cartridge
MEDIA SUPPLIES	
C6030C	HP Heavyweight Coated Paper-914 mm x 30.5 m (36 in x 100 ft)
Q1397A	HP Universal Bond Paper-914 mm x 45.7 m (36 in x 150 ft)
CG891 A	HP Recycled Bond Paper-1067 mm x 45.7 m (42 in x 150 ft)
SERVICE & SUPPORT	

UX901E HP Care Pack, Next Business Day Designjet T2300eMFP Hardware Support, 3 years
UX908E HP Care Pack, Next Business Day Designjet T2300eMFP Hardware Support, 4 years
UX907E HP Care Pack, Next Business Day Designjet T2300eMFP Hardware Support, 5 years
UX907E HP Care Pack, 4 Hour Response Time 13x5 Designjet T2300eMFP Hardware Support, 3 years
UX915FE HP Care Pack, Post Warranty Next Business Day Designjet T2300eMFP Hardware Support, 1 year
UX915FE HP Care Pack, Post Warranty Next Business Day Designjet T2300eMFP Hardware Support, 1 year
UX917FE HP Care Pack, Post Warranty A Hour Response Time 13x5 Designjet T2300eMFP Hardware Support, 1 year
UX917FE HP Care Pack, Network Install Designjet T23-71XX, 400-6200 SVC

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business-with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

For more HP Large Format Media substrates and sizes please visit us online at: http://www.hp.com/go/designjet/supplies

For more information, visit our website at http://www.hp.com

© Copyright 2010 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

4AA2-7313ENW, September 2010

